


TEMPERATURE DISPLAYS FOR SWIMMING POOLS

Indoor Readability 50m

PHL12.2



(non contractual picture)



Composition

- 1 Digital Clock
 - 1 Infrared remote control
 - 1 Air Temperature sensor with a 3m cable
 - 2 Water Temperature sensor with a 30m cable
- Operating and installation instructions

Description

Use:	Indoor	
Programming:	Infra-red remote control	
Readability:	50m, angle >160°	
Dimensions:	1300 x 320 x 90mm	
Weight:	10 kg	
Power supply:	230V / 50-60Hz	Power consumed: 23VA
Protection:	Unbreakable mat polycarbonate front face	
Mains cable (supplied):	5 m – Type: 230V, 3G, 0.75 mm ²	

Display functions

Day time, date: 4 red LED digits (12 cm) for:

- **Day time:** hours/minutes (HH:MM)
- **Date:** day/month (DD:MM)
- **Air Temperature** (to the nearest degree)

Temperature: 4 yellow LED digits (9 cm) for:

- **Water Temperature for 2 pools** (to the nearest degree)
- Programming of the brightness (4 luminosity levels available)
- Eco-Mode: low luminosity between 23:00 and 06:00

Remote control

1 IR remote control (180 x 50 x 23 mm), clear range at 10m, for:

- Programming of the day time
- Programming of the date
- Programming of the display duration
- Programming of the transition effects
- Possibility to display a permanent information
- Possibility to display a “fix” temperature (if the sensors are disconnected)

Options

- DCF or GPS Antenna:** For accurate time synchronisation
- Slave clock**